



Job Name: _____

Type: _____

Part #: _____

Notes: _____

LED Area Lights

100, 150, 200, 300, 400 & 500 WATTS

This area light features outstanding photometric performance, uniform illumination, low-profile design, high efficacy, long lifespan, and easy installation. The one piece die-cast aluminum housing with UV resistant powder coat finish offers outstanding corrosion protection. Ideal for use in various commercial environments, such as auto dealerships, parking lots, walkways, roadways, campuses, facade lighting, grocery stores and other public areas.



Ordering Information:

Example: ALS-SB-P2-150W-5K-III-BZ-PC

MODEL	Wattage	Photocell
ALS-SB-P2	100W-5K-III-BZ	PC
	150W-5K-III-BZ	
	200W-5K-III-BZ	
	300W-5K-III-BZ	
	400W-5K-III-BZ	
	500W-5K-III-BZ	

Mounting Options - shown on page 3

ALS-SB-SF-BZ - Type A Slip Fitter Mount

ALS-SB-AA-BZ - Adjustable Arm Mount

ALS-SB-TRUNNION-BZ - Type D Trunnion Mount

ALS-SB-P-YOKE-BZ - Yoke Mount

ALS-ALGS-BZ - Glare Shield



Job Name: _____

Type: _____


Part #: _____

Notes: _____



General Specifications

Frame Material	Cast aluminum design - better cooling	Life Span	over 50,000 hrs
Warranty	5 Year Limited	Distribution	Type II, Type III, Type IV, Type V
Outdoor Rating	Wet location/IP65	Efficacy	Up to 150LPW
Working Temperature	-40°F ~ 113°F	Driver Efficacy	90%
Storage Temperature	-40°F ~ 176°F	Power Factor	0.95
CRI	Ra 70	Input Voltage	AC120-277V / AC120-347V / AC277-480V
Weight:	100W, 150W, 200W: 9lbs.	300W: 12 lbs.	300W, 400W: 23 lbs.



Dimensions





100 & 150 Watts



200 Watts



300 Watts



400 & 500 Watts





Job Name: _____

Type: _____

Part #: _____

Notes: _____

ACCESSORIES & MOUNTING BRACKETS



ALS-SB-SF-BZ
Type A Slip Fitter Mount



ALS-SB-AA-BZ
Adjustable Arm Mount



ALS-SB-TRUNNION-BZ
Type D Trunnion Mount



ALS-ALGS-BZ
Glare Shield



ALS-SB-PC
Plug 'n Play Photocell



ALS-SB-P2-YOKE-BZ
Yoke Mount

Applications

